



# AMERICAN CUSTOM SAFETY

Your Source for  
Promotional Safety  
[www.35494.asisupplier.com](http://www.35494.asisupplier.com)





## Brochure Index

ASI #35494 • PPAI #157367 • UPIC: HARDHATS

Classic Head Protection Products	1
Standard Series	3
Vector Helmet	5
Hard Hat Pencil Holder	7
Ceremonial Shovel	8
Ceremonial Plaques	9
Mini Hard Hat	10

The staff of American Custom Safety thanks you for your interest in high quality safety and promotional products available through our company.

This brochure will provide further information on the following ACS products:

- **ANSI/ISEA approved, customized hard hats/caps**
- **Groundbreaking supplies**
- **Personalized fire helmet and hard hat plaques**
- **Groundbreaking shovels**
- **Ceremonial hard hats**

**Should you have questions, please contact us.**

### Available Hard Hat Colors:

Unless otherwise noted, hard hats in this catalog available in the following colors:



Yellow



Hi-Viz Yellow



Tan



Orange



Hi-Viz Orange



Red



Pink



Pacific Blue



Sky Blue



Slate Blue



Kentucky Blue



Navy Blue



Kelly Green



Hi-Viz Green



Forest Green



Gull Gray



Dove Gray



Chocolate Brown



Black



White

[www.35494.asisupplier.com](http://www.35494.asisupplier.com)



# Classic Head Protection Models 30 and 33

ASI #35494 • PPAI #157367 • UPIC: HARDHATS

The Bullard Classic Series hard hats and caps continue to set the standard for industrial head protection.

## Comfort

Featuring wider brims than most hard hats, Classic caps and hats offer increased protection from rain, snow, dust and harmful ultraviolet (UV) rays. The six-point suspension, standard in all Classic Series products, has 1" (2.54 cm) wide nylon straps, offering increased balance and comfort. The full-profile shell also enhances ventilation.

Select either the RS6PC self-sizing suspension or the RS6RC Flex-Gear® non-slip ratchet suspension. Both suspensions feature an exclusive Sportek™ cotton removable brow pad for superior absorbency and comfort. Vertical adjustment hanger keys on the front and rear positions of the headband form the basis for a truly customized fit.

## Versatility

With three distinctive models from which to choose, each Classic Series hard cap and hat style offers unique benefits to the wearer.

## Two-Year Warranty

Demanding quality standards and leading edge manufacturing processes allow Bullard to offer a two-year limited warranty – the longest in the industry.

## Decoration

No other manufacturer offers more decorating flexibility and capability than Bullard. Hard hats and caps can be decorated with company logos or safety slogans in up to six colors in virtually any lateral position on the shell.

Worker visibility can be increased with Scotchlite® reflective stripes or small reflective strips in a multitude of colors. Bullard offers 22 standard shell colors and will match other colors for companies requiring specific shades. A higher minimum and additional cost will apply. Bullard Classic caps and hats meet/exceed ANSI/ISEA Z89.1-2009, Type I, Class E and G requirements.



Models **30P** and **30R**, our most popular Classic cap models, are among the most adaptable hard hats available. Accessory slots accept faceshields, hearing protection, welding helmets or communication devices.



Models **33P** and **33R** are preferred by wearers who desire a full-brim hat. This style offers more protection from harmful ultraviolet rays, as well as from glare, moisture and dust.




Models **34P** or **34R** offer wearers added comfort with twelve percent more interior space and a customized fit in the classic-style workers prefer.



# Classic Head Protection Models 30 and 33

ASI #35494 • PPAI #157367 • UPIC: HARDHATS

## Suspension Choices for Bullard Classic Series



### Model 30R Pictured with Flex-Gear® Ratchet Suspension

1. Vertical Adjustments (two front and two rear)
2. Nylon Crown Straps
3. Large replaceable, absorbent cotton (RS6RC) brow pad with pillow cushions
4. Cushioned Nape
5. Large, easy to turn ratchet knob



### Model 33P Pictured with Self-Sizing Suspension

1. Vertical Adjustments (two front and two rear)
2. Nylon Crown Straps
3. Large replaceable cotton brow pad (RS6PC) with pillow cushions
4. Sizing Buckle

### Ordering Information

CATALOG NUMBER	DESCRIPTION
30P	6-pt pinlock classic cap
30R	6-pt ratchet classic cap
33P	6-pt pinlock full brim hat
33R	6-pt ratchet full brim hat
34P	6-pt pinlock, x-large, full brim hat
34R	6-pt ratchet, x-large, full brim hat

### Replacement Parts

CATALOG NUMBER	DESCRIPTION
RS6PC	6-pt pinlock replacement suspension
RS6RC	6-pt ratchet replacement suspension
RBPCOTTON	Velcro replacement absorbent cotton brow pad for all Bullard suspensions
RBPVINYL	Velcro replacement vinyl brow pad for all Bullard suspensions
RBPCOOL	Velcro replacement brow pad, cooling material, for all Bullard suspensions

### WARNING

This hard hat provides limited protection by reducing the force of falling objects striking the top of the shell. While it will provide limited protection in other parts of the shell, it was not designed to provide front, side, or rear impact protection.

Avoid contact of the hard hat with electrical wires.

Never alter or modify shell or suspension system. Where appropriate, always use Bullard replacement parts.

Inspect your hard hat shell or suspension regularly. Make it a habit to check for cracks, frayed straps and any sign of damage before putting on your hard hat each and every time.

If you notice any sign of wear or damage, the shell and/or suspension should be destroyed IMMEDIATELY and replaced. If the hard hat has been struck by a forcible blow, it must be destroyed and replaced immediately, even if there is no visible damage.

Bullard products are manufactured to exacting specifications. Any alteration or modification of these products by the user may adversely affect product performance. This data sheet is in summary form only for easy reference. Refer to labels, instructions and other literature accompanying the product for more complete details regarding use, maintenance, warnings, performance capabilities, complete specifications and precautions.

Failure to observe this warning could result in death or serious injury.



# Standard Series Models 51, 61, 62 and 71

ASI #35494 • PPAI #157367 • UPIC: HARDHATS

## The Standard...setting the standard for comfort, style and versatility.

The Standard by Bullard takes style and comfort to a new level. A low-profile shell, along with the Bullard three-rib design and patented suspension system, provide maximum comfort with a look workers prefer.

### Comfort

The Standard Series of hats is available with two nylon suspension options: self-sizing or ratchet. Both suspension styles have large, pillowed, replaceable brow pads. Models 61, 62 and 71 come standard with a cotton brow pad. Model 51 comes standard with a poly brow pad.

The Bullard patented Flex-Gear® ratchet suspension is designed with built-in flex points that allow the ratchet housing to conform to the back of the worker's head, ensuring a snug and comfortable fit. The nape cushion adds to the comfort and overall fit of the suspension.

Easy to adjust vertical height settings, two front and two rear, provide a customized fit which will increase wear time and worker compliance. All vertical height adjustment settings ensure that the hard hat remains centered on the head.

The Standard is also offered in a vented design (Model 62). The vented model offers increased air circulation, resulting in optimal worker comfort.

### Style

The low profile shell design of The Standard cap combines a perfect fit with a look that workers prefer. The sleek, trim shell profile is the most stylish in the industry.

The Standard Series also includes a full-brim style (71) for additional protection from exposure to sun and rain.

Hard hat colors can be used to identify different job functions, trades, or departments within an organization. With this in mind, Bullard has chosen 20 of the most popular shell colors for its standard color offering. Many custom and special colors are also available upon request. Contact American Custom Safety for details.

### Versatility

The Standard series hard hats come equipped with accessory slots for mounting a variety of attachments including faceshields, welding helmets, earmuffs and headsets.

Brow pads on all Standard Series hard hats are replaceable. Replacement brow pads can easily be velcroed on in place of, or over the original pad. This feature combined with the choice of vinyl, cotton or a special cooling material ensures the right comfort level and protection for the wearer.

### Meets OSHA and ANSI/ISEA Requirements

Bullard Models 51, 61 and 71 conform to all OSHA and ANSI/ISEA Z89.1-2009, Type I, Class E & G requirements, including impact, penetration and electrical insulation. Bullard Model 62 (vented) conforms to all OSHA and ANSI/ISEA Z89.1-2009, Type I, Class C requirements, including impact and penetration.

### Customization

Bullard uses state-of-the-art technology to imprint your company's logo or safety slogan. Whether the design is one color or six, it can be reproduced accurately, quickly and inexpensively. Your company's logo can be printed in up to eight locations around the hard hat. Reflective or non-reflective stripes can also be applied to increase worker visibility. No other manufacturer offers a decoration program that is as easy, fast or reliable.



Model 61R



Model 71R



Model 62R




Model 51R



# Standard Series Models 51, 61, 62 and 71


ASI #35494 • PPAI #157367 • UPIC: HARDHATS

## Suspension Choices for "The Standard" Series Caps



### Model 61P Pictured with Self-Sizing Suspension

1. Vertical Adjustments (two front and two rear)
2. Nylon Crown Straps
3. Large replaceable cotton brow pad (RS4PC) with pillow cushions
4. Sizing Buckle



### Model 61R Pictured with Flex-Gear® Ratchet Suspension

1. Vertical Adjustments (two front and two rear)
2. Nylon Crown Straps
3. Large replaceable, absorbent cotton (RS4RC) brow pad with pillow cushions
4. Cushioned Nape
5. Large, easy to turn ratchet knob

## Ordering Information

CATALOG NUMBER DESCRIPTION

51P	Standard Series cap with rain trough, 4-point self-sizing suspension, Poly brow pad
51R	Standard Series cap with rain trough, 4-point Flex-Gear ratchet suspension, Poly brow pad
61P	Standard Series cap, low profile, 4-point self-sizing suspension, Cotton brow pad
61R	Standard Series cap, low profile, 4-point Flex-Gear ratchet suspension, Cotton brow pad
62P	Standard Series cap, Vented, low profile, 4-point self-sizing suspension, Cotton brow pad
62R	Standard Series cap, Vented, low profile, 4-point Flex-Gear ratchet suspension, Cotton brow pad
71P	Standard Series hat, full-brim style, 4-point self-sizing suspension, cotton brow pad
71R	Standard Series hat, full-brim style, Flex-Gear ratchet suspension, cotton brow pad

CATALOG NUMBER DESCRIPTION

### Replacement Parts

RS4PP	Replacement Suspension, 4-point, Pinlock, Poly brow pad for 51P
RS4PC	Replacement Suspension, 4-point, Pinlock, Cotton brow pad for 61P, 62P and 71P
RS4RP	Replacement Suspension, 4-point, Ratchet, Poly brow pad for 51R
RS4RC	Replacement Suspension, 4-point, Ratchet, Cotton brow pad for 61R, 62R and 71R
RBPCOTTON	Velcro replacement absorbent cotton brow pad for all Bullard suspensions
RBPVINYL	Velcro replacement vinyl brow pad for all Bullard suspensions
RBPCOOL	Velcro replacement brow pad, cooling material, for all Bullard suspensions

## WARNING

This hard hat provides limited protection by reducing the force of falling objects striking the top of the shell. While it will provide limited protection in other parts of the shell, it was not designed to provide front, side, or rear impact protection. Avoid contact of the hard hat with electrical wires. Never alter or modify shell or suspension system. Where appropriate, always use Bullard replacement parts. Inspect your hard hat shell or suspension regularly. Make it a habit to check for cracks, frayed straps and any sign of damage before putting on your hard hat each and every time. If you notice any sign of wear or damage, the shell and/or suspension should be destroyed IMMEDIATELY and replaced. If the hard hat has been struck by a forcible blow it must be destroyed and replaced immediately, even if there is no visible damage.

Bullard products are manufactured to exacting specifications. Any alteration or modification of these products by the user may adversely affect product performance. This data sheet is in summary form only for easy reference. Refer to labels, instruction and other literature accompanying the product for more complete details regarding use, maintenance, warnings, performance capabilities, complete specifications and precautions. Failure to observe this warning could result in death or serious injury.



## Vector Helmet/VT Series

ASI #35494 • PPAI #157367 • UPIC: HARDHATS

### Designed to meet CSA and ANSI/ISEA Type II Standards

The Bullard Vector helmet provides impact protection for the top, front, back and side of the head. Vector helmets are lightweight, comfortable, affordably priced and designed to accommodate numerous accessories. In addition to the advanced features, the helmet is easy to customize with company logos, slogans and reflective markings.



#### VTR

Vector offers top, front, back and side impact protection.

### Protection

Vector helmets use a full inner shock liner to absorb impacts from the top, front, back and side. The shock liner is carefully engineered to provide advanced protection with minimal weight. Combined with its heavy-duty polyethylene shell and standard suspension or optional Sure-Lock® ratchet suspension, Vector offers advanced protection at a competitive price.

A two-point chinstrap and heavy-duty polycarbonate faceshield are available as options.

### Comfort

Vector helmets offer lateral and top impact protection with only slight weight addition over conventional hard hats. Either the standard VT600 suspension or optional VTRT600 Sure-Lock® ratchet suspension ensures a secure and comfortable fit for virtually all head sizes and shapes. The standard Sportek™ brow pad is the most absorbent and comfortable brow pad available.

### Decoration


Vector helmets can be decorated with your company's logo using up to six colors in as many as eight different locations. This hard hat is available in the following colors: white, yellow, orange, red, blue, green, hi-viz orange, hi-viz green and hi-viz yellow.

### Value

Vector helmets offer advanced head protection and comfort at an affordable price. The lightweight Vector helmets are compliant with ANSI/ISEA Z89.1-2009 Type II and CSA Z94.1-2005. The Sportek brow pad, comfortable suspension, built-in goggle strap, retaining slots and Bullard's unsurpassed reputation for quality make Vector helmets a superior value in industrial head protection.

Available in the following colors:

white, yellow, hi-viz yellow, orange, hi-viz orange, Kentucky blue, forest green, navy blue







# Vector Helmet/VT Series

ASI #35494 • PPAI #157367 • UPIC: HARDHATS

## Suspension Choices



Vector-CRT with Ratchet Suspension



Vector-C with Standard, Self-Sizing Suspension

- 1. Outer Shell of Polyethylene** – comfortable lightweight design for maximum comfort.
- 2. Expanded Polystyrene Foam Core** – reduces the possibility of serious head injury by helping to absorb the forces of impact.
- 3. Four-point Suspension System** – straps are angled to fit the head for superior comfort.
- 4. Ventilation Channels** – help keep wearer cooler and more comfortable.
- 5. Sizing Mechanism** – choose from either the ratchet Sure-Lock® or standard self-sizing suspension.

Vector meets/exceeds all requirements of ANSI/ISEA Z89.1-2009 Type II, Class E & G and CSA Z94.1-2005 (Class E).

## Vector Ordering Information

CATALOG NUMBER DESCRIPTION

### Helmets

**VTP** Helmet with standard suspension  
**VTR** Helmet with ratchet suspension

**Colors:** Vector is available in White, Yellow, Red, Blue, Green, Orange, Hi-Viz Orange, Hi-Viz Yellow and Hi-Viz Green

### Replacement Parts

**VRT600** 4-point Sure-Lock ratchet suspension  
**VT600** 4-point standard suspension  
**VTS** Shock liner replacement  
**TT3** Sportek replacement brow pad

CATALOG NUMBER DESCRIPTION

### Accessories

**300B** Front mounting dielectric faceshield bracket  
**A110** Dielectric quick-release chinstrap w/mounting hardware  
**840P** 8" x 15" x .040" clear heat-formed polycarbonate visor  
**840M** 8" x 15" x .040" clear acetate visor

Additional replacement parts, accessories and decorations are available.

## WARNING

No helmet can protect the wearer against all foreseeable impacts. Vector helmets are designed to provide limited protection to the head by reducing the force of falling objects striking the top, front, back and sides of the helmet shell. This is accomplished through partial destruction of helmet components upon impact. The Vector C and CRT helmets meet ANSI/ISEA Z89.1-2009 Type II, Class E and G and CSA Z94.1-2005 Class E requirements.

NEVER ALTER OR MODIFY THE HELMET SHELL OR SUSPENSION SYSTEM. ALWAYS USE BULLARD REPLACEMENT PARTS. Inspect your helmet shell, shock liner and suspension regularly. Check for cracks, frayed straps and any signs of damage before each use. Replace the helmet immediately if you notice any signs of wear, damage, abuse or environmental degradation. If the helmet has sustained a forcible blow (impact), dispose of it immediately, even if damage is not visible.

HELMET SERVICE LIFE: This helmet does not have an indefinite service life. Conditions found in many work environments, such as exposure to ultraviolet light, temperature extremes, chemical exposure, wear and tear from daily use will reduce the protective properties of the helmet over time. Ask your employer about helmet replacement policy. As a general guideline, Bullard recommends replacing helmets within five years of initial use.

THIS HELMET IS NOT FOR MOTOR VEHICLE USE OR FIRE FIGHTING.

Bullard products are manufactured to exacting specifications. Any alteration or modification of these products by the user may adversely affect product performance. This brochure is in summary form only for easy reference. Refer to labels, instructions, or other literature accompanying the product for more complete details regarding product use, maintenance, warnings, performance capabilities, complete specifications, instructions and precautions. Failure to observe this warning could result in death or serious injury.





# Hard Hat Pencil Holder

ASI #35494 • PPAI #157367 • UPIC: HARDHATS

Item #2010 Adhesive backed. **Imprint area 1" x 1"**. Holds almost any size pen or pencil, including a carpenter pencil.

## Hard Hat Pencil Holder

Camera-ready art required

FOB MN

Class 4R

Production 14 days

Product Colors:


Red 032C, Blue 285C, Navy 281C,  
Green 348C, Turquoise 322C, Burgundy  
209C, White, Black, Yellow and Pink

Standard Imprint Colors

Red 032C, Blue 285C, Navy 281C,  
Green 348C, Turquoise 322C, Burgundy  
209C, Butterscotch 141C, White,  
Black, Reflex Blue, Purple, Athletic  
Gold 123C, Metallic Gold and Metallic  
Silver.



**A handy accessory  
for hard hats**






## Ceremonial Shovel

ASI #35494 • PPAI #157367 • UPIC: HARDHATS

Groundbreaking ceremonies celebrate new beginnings, but usually also represent months or years of work by a person or committee to bring about the new construction. What better way to honor those who worked for the cause than by presenting them with a customized, groundbreaking shovel.

American Custom Safety offers two models, chrome or gold tone, **full size 40" shovels** that can be personalized with the company name, date or an individual's name on an engraved plate attached to the wooden handle.

- Actual Plate Size: 1.5" x 4"
- Engraving Parameters:
  - 4-5 lines
  - 25 characters per line





## Ceremonial Plaque

ASI #35494 • PPAI #157367 • UPIC: HARDHATS

This unique presentation piece is a memorable reward for years of dedicated service. It can also be used to commemorate a groundbreaking event or to thank sponsors for their participation on a special building project. Each **16" x 20" plaque** includes a hard hat, fire helmet shell, or leather front and a personalized engraved plate. Hard hat and fire helmet plaque has 6-7 lines of text with approximately 30 characters each available. Leather front plaque has 2 lines of text with approximately 30 characters each available.



Actual Size is 16" x 20"



## Hard Hat Mini Caps

ASI #35494 • PPAI #157367 • UPIC: HARDHATS

Looks like the real thing in miniature size!

These construction related miniature items are offered in seven standard colors. Choose from Orange, White, Kentucky Blue, Red, Yellow, Dove Gray and Green. Minimum quantity of 250 pieces required.

The minicaps have a loop molded in the back making this item easy to attach to a key chain. Minicaps can easily be attached to a string card or used to make a construction themed item.



Actual Size of Each Minicap is 1" x 1.5"

**American Custom Safety**  
**[www.35494.asisupplier.com](http://www.35494.asisupplier.com)**

©2012 Bullard. All rights reserved, including the right of reproduction, in whole or in part, in any form.

Flex-Gear, Sure-Lock, Hard Boiled are registered trademarks of Bullard.

Scotchlite is a registered trademark of 3M Company.